P-876 DuraAct™

Piezoelectric Patch Transducers



The small-sized P-876.SP1 DuraAct™ transducers (left) are designed for applications where space is at a premium. On the right, the P-876.A12 series transducer (golf ball for size comparison)

- Actuator, Sensor or Energy Source
- Highly Formable Ceramics
- Can be Applied to Curved Surfaces
- Customized Solutions on Request
- Cost-Effective

P-876 DuraAct™ patch transducers combine the functionality of piezoceramic materials as sensors and actuators as well as for electrical charge generation and storage. Used as a bender actuator, they allow high deflection with high force and precision. Other possible operation modes of DuraAct™ transducers are as highdynamics sensor (e.g. for structural health monitoring) or for energy harvesting.

Integration into Adaptive **Systems**

With their compact design, DuraAct™ transducers can be applied to structure areas where deformations are to be generated or detected. For this purpose the transducers can be affixed to the surface of structures or they can be integrated as structural elements. Whole areas are monitored effectively by applying an array of several DuraAct™ on a surface.

DuraAct™patch transducers are ideally suited for active and adaptive systems. Embedded in a servo-control loop, vibrations can be reduced and structures can be controlled in the nanometer range.

Robust and Cost-Effective Design for Industrial Applications

The laminated design consisting of a piezoceramic plate and polymers provides a mechanically preloaded and electrically insulated device for easy handling. P-876 patch transducers

feature a rugged design with the mechanical stability of a structural material.

Energy Harvesting: Self-Sustaining Systems in a Small Package

Another operation mode of DuraAct™ patch transducers is the application as energy harvester. The transformation of mechanical vibrations up to some kilohertz may yield electrical power in the milliwatt range. This power supplies miniature electronic devices like LEDs, sensors or even transmitters for remote data control.

Notes

DuraAct™ Transducers can be offered in highly customized versions:

■ Flexible choice of dimensions

Ordering Information

P-876 A11

DuraAct™ Patch Transducer, 61 x 35 x 0,4 mm

P-876.A12

DuraAct™ Patch Transducer, 61 x 35 x 0,5 mm

P-876 A15


DuraAct™ Patch Transducer, 61 x 35 x 0,8 mm


DuraAct™ Patch Transducer. 16 x 13 x 0.5 mm

Ask about custom designs!

- Flexible choice of thickness and bending properties
- Flexible choice of piezoceramic materials and operating temperature
- Various electrical connection designs

Combining sensor and actuator functions (multiple ceramic layers)






Application Examples


- High-dynamics actuators
- Adaptive systems
- Vibration and noise cancellation
- Deformation control and stabilization
- Damage monitoring
- Energy harvesting





Deflection of a bending transducer as a function of the substrate thickness for different materials. A bending transducer consists of a substrate with a P-876 actuator (here: P-876.A15) glued to one side. A contraction of the actuator effects a deflection W

Electrical Insulation Mechanical Preload Piezoceramic Layer Design principle of the transducer



Linear Actuators & Motors

PiezoWalk® Motors / Actuators

PILine® Ultrasonic Motors

DC-Servo & Stepper Actuators

Piezo Actuators & Components

Guided / Preloaded Actuators
Unpackaged stack Actuators

Patches/Benders/Tubes/Shear..

Nanopositioning / Piezoelectrics

Nanometrology

Micropositioning

Index

Technical Data

Technical Data					
Model	P-876.A11	P-876.A12	P-876.A15	P-876.SP1	Tolerances
Operating voltage	-50 to +200 V	-100 to +400 V	-250 to +1000 V	-100 to +400 V	
Motion and positioning					
Lateral contraction, open-loop	400 μm/m 1.6 μm/m/V	650 μm/m 1.3 μm/m/V	800 μm/m 0.64 μm/m/V	650 μm/m 1.3 μm/m/V	min. (+20 %/-0) min. (+20 %/-0)
Mechanical properties					
Blocking force	90 N	265 N	775 N	280 N	
Length	61 mm	61 mm	61 mm	16 mm	±0.5 mm
Width	35 mm	35 mm	35 mm	13 mm	±0.5 mm
Thickness	0.4 mm	0.5 mm	0.8 mm	0.5 mm	±0.5 mm
Bending radius	12 mm	20 mm	70 mm	-	max.
Drive properties					
Ceramic type	PIC 252 Layer thickness: 100 μm	PIC 255 Layer thickness: 200 μm	PIC 255 Layer thickness: 500 μm	PIC 255 Layer thickness: 200 μm	
Electrical Capacitance	150 nF	90 nF	45 nF	8 nF	±20 %
Miscellaneous					
Operating temperature range*	-20 to +150 °C	-20 to +150 °C	-20 to +150 °C	-20 to +150 °C	
Mass	2.1 g	3.5 g	7.2 g	0.3 g	±10%
Voltage connection	Soldering pads	Soldering pads	Soldering pads	Soldering pads	
Recommended controller / amplifier (actuator mode)	E-413.D2 (s. p. 2-120) E-835 (s. p. 2-166)	E-413.D2 (s. p. 2-120) E-835 (s. p. 2-166)	E-508 (s. p. 2-150) E-835 (s. p. 2-166)	E-413.D2 (s. p. 2-120) E-835 (s. p. 2-166)	

^{*} Short-term operation up to 180 °C